




BEARING MFG.CORP.



2.559 Inch | 65 Millimeter x 4.724 Inch | 120 Millimeter x 0.906 Inch | 23 Millimeter
 320TFD4701 Double Direction Thrust Taper Roller Bearing 320x470x130mm

Bearing No. N213

N213 Bearing 2D drawings and 3D CAD models

Category	Cylindrical Roller Bearings
Inventory	0.0
Manufacturer Name	NACHI
Minimum Buy Quantity	N/A
Weight	1.04
EAN	4991893403206
Product Group	B04144
Bore Profile	Straight
Cage Material	Steel
Precision Class	RBEC 1 ISO P0
Number of Rows of Rollers	Single Row
Separable	Outer Ring - Both Sides
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C0-Medium
Retainer	Yes
Relubricatable	Yes
Inch - Metric	Metric
Other Features	2 Rib Inner Ring Plain Outer Ring Cage on Inner Ring OD
Long Description	65MM Bore; Straight Bore Profile; 120MM Outside



BEARING MFG. CORP.

	Diameter; 23MM Width; Steel Cage Material; RBEC 1 ISO P0; Single Row; Outer Ring - Both Sides Separable; No Snap Ring; Relubricatable; C0-Medium Inte
Category	Cylindrical Roller Bearing
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer URL	http://www.nachi.com
Manufacturer Item Number	N213
Weight / LBS	2.29
d	2.559 Inch 65 Millimeter
D	4.724 Inch 120 Millimeter
B	0.906 Inch 23 Millimeter
Enclosure	Open
Bore Type	Cylindrical Bore
Configuration	Single Row
Weight	1.040 kg
Bore Size	65 mm
Outside Ring Inside Diameter	105.6 mm
Fillet Radius/Chamfer	1.5 mm
r1	1.5 mm
Dynamic Load Rating	84,000 N
Static Load Rating	94,500 N
Limiting Speed - Grease	5,300 rpm
Limiting Speed - Oil	6,300 rpm
Radial Clearance	0.040 to 0.070 mm
da (min)	73.5 mm
db (min)	73.5 mm
db (max)	77 mm



BEARING MFG.CORP.

dc (min)	81 mm
Da (max)	111.5 mm
Db (min)	111.5 mm
Db (max)	108 mm
ra (max)	1.5 mm
ra1 (max)	1.5 mm